

**PUBLIC NOTICE**  
EAGLE GROVE CITY COUNCIL MINUTES

**EAGLE GROVE REGULAR COUNCIL MEETING**  
**MONDAY, MAY 7, 2018**  
Mayor McGrath called the meeting to order at 7:00 p.m. with council members Pamperin, Schild, Vandewater, Middleton, Jergens and Weland. Also present: City Attorney Legvold, City Administrator Davis, and City Finance Officer Maier  
A motion was made by Jergens and seconded by Middleton, to approve the consent agenda which includes the April 16th minutes and claims. Roll Call: All ayes.

**CLAIMS**  
Advanced Systems, Copier Maint. .... 188.74  
Arnold Motor Supply, Parts, Oil 15W 40 ..... 1,520.30  
Bongaars, Battery ..... 340.32  
Boone Valley Implement, Parts for Mowers ..... 359.59  
Certified Fire Extinguisher, Fire Exting & Service ..... 1,992.00  
Dearborn National Life Insuran, Life Insurance ..... 110.16  
Eagle Building Supply, Posts, Hydrated Lime ..... 194.62  
Eisenstrager Law Office, Deed Recording Fee ..... 17.00  
Goldfield Access Network, Telephone, Internet ..... 788.52  
GRP & Associates, Medical Waste Disposal ..... 49.00  
Holiday Inn Conf. Center, IMFOA Conference Expenses ..... 107.90  
HSA - SSB Ach, Monthly Transfer ..... 4,607.64  
IASRO, Registration - Quintus ..... 125.00  
Iowa Central Comm College, EMS Training ..... 15.00  
Iowa D.O.T., Traffic Paint ..... 581.40  
Kvaile Tree Service, Tree Removal N Western ..... 650.00  
Larson's Gun & Ammo LLC, Gun for Sunstrom ..... 1,301.28  
Logan Contractor's Supply Inc., 20 Yellow ADA Sidewalk Panels ..... 3,267.00  
Lund Construction, Demolition ..... 9,430.80  
Robert Lunda, Uniform Reimb. .... 167.46  
Lyle's Ford-Mercury, Sewer Truck Repair ..... 570.90  
Maier Farm Drainage, 107 N Blaine Demolition ..... 9,864.15  
Michael Todd & Co. Inc., Traffic Signs .... 391.20  
Mid-America Publishing, Meetings, Ordinances ..... 963.49  
MidAmerican Energy, Electricity Parks ... 111.11  
O'Halloran, Pipe, Exhaust, Etc. Dump Truck ..... 205.09  
Oldson's Inc., Water Heater Memorial Hall ..... 1,227.93  
Payroll Fund, Payroll Transfer ..... 56,212.94  
Pederson Sanitation, Packer Rental/Hauling ..... 550.00  
Postmaster, Postage for UB Bills, Stamps ..... 448.25  
Purchase Power, Postage Meter Refill ... 201.00  
Rotary Club of E.G., Dues, Meals-Ray ... 138.00  
Sadler Construction Inc., Electrical Work ..... 1,682.86  
T & D Service, Tornado Siren Battery .... 161.64  
The Trash Man, Revenues ..... 4,320.11  
The Trash Man, Revenues Less \$624 ..... 25,077.49  
UnityPoint Health Trinity, Random Drug Testing ..... 26.00  
Verizon, Cell Phones ..... 673.23  
VFW, Flags Cemetery ..... 155.00  
Visa, Dare Supplies ..... 252.02

Blue Cross & Blue Shield, May Health Insurance ..... 18,656.54  
Wr Co Landfill Authority, 2017 Closure Costs ..... 8,374.91  
Wright County Treasurer, Taxes 107 N Blaine ..... 189.00  
**Fund Totals:**  
General ..... 48,729.49  
Road Use Tax ..... 11,317.45  
Employee Benefits ..... 21,560.26  
Tax Increment Financing ..... 19,483.95  
Urban Renewal ..... 68.80  
Garbage ..... 28,619.60  
Hotel Tax ..... 250.00  
2014 Capital Projects ..... 2,063.27  
Water ..... 13,638.45  
Sewer ..... 10,535.32

**Building Permits:** Mike Hanson, 25 Parkview Drive, Fence; Rick Derscheid, 521 SW 1, Sidewalk repair; Sisson, Mckenzie, 908 SW 2, Shed; Halverson, Terry, 19 Parkview Drive, Parking; Grace Evangelical, 1215 S Commercial, Sign; Larson, Lyle, 113 S Lucas, Parking; GoldEagle, 809 N Iowa, Sign.  
A motion was made by Pamperin, and seconded by Vandewater, to approve Home Rule Proclamation. Roll call: All ayes.

A Public Hearing was opened at 7:05 p.m.: Mayor McGrath read the following announcement: City of Eagle Grove 2015 Housing Rehabilitation Program Update Public Hearing announcements. The City was awarded a 2015 Community Development Block Grant for \$390,500 to assist approximately twelve (12) low-and-moderate income persons within a designated neighborhood to make improvements to their homes. To date three (3) projects have been completed, one (1) project is under construction, one (1) is ready to start construction, one (1) project was bid today and is being reviewed. One (1) project has been inspected and is pending. There has been a no change to the project beneficiaries as proposed in the application. To date, \$100,720 of the CDBG allocation has been expended. There is a local obligation of \$30,000 committed towards rehabilitation costs. To date, \$7,500 has been expended. Comment heard that it would have been nice if target area had been bigger. Hearing closed at 7:09 p.m.  
A motion was made by Weland, and seconded by Pamperin, to approve the First Reading of Ordinance 2018-06, regarding: Landscape Regulation. Roll Call Vote: All ayes.

A motion by Weland, and seconded by Middleton, to Set June 18th at 7:05 p.m. for Public Hearing on establishing Downtown D-1 District. Roll call: All ayes.

A motion by Weland, and seconded by Pamperin, to look at disposing of 107 N Blaine lot with stipulations on new construction. 823 S Commercial will be kept for access to lift station. Roll call: All ayes.

A motion by Weland, and seconded by Pamperin, to set May 21st at 7:25 p.m. for a Public Hearing on establishing a dog park within city limits. Roll call: All ayes.  
Update on SW 9th St Bridge project-bids will be submitted to DOT by May 15th. Council will award the bid at May 21st meeting. No action was taken.

A motion by Vandewater, and seconded by Jergens, to approve temporary repairs to DD#15 up to \$5000. Roll call: All ayes.  
Don Deuel presented Memorial Hall board recommendations for renovations.

A motion by Vandewater, and seconded by Schild, to approve bids of Torkelson Construction \$41,995.00 and Eagle Trenching \$15,508.11. Roll call: All ayes except Pamperin abstained.  
Sidewalk inspections have begun in the NW part of town.  
Airport repair status-waiting for bids on lights and beacons.

A motion by Weland, and seconded by Middleton, to set May 21st at 7:05 p.m. as time and date for public hearing on amendment to FY 18 budget. Roll call: All ayes.

Department Reports were given.  
A motion was made by Weland, and seconded by Pamperin, to adjourn at 8:44 p.m.  
Sandra McGrath, Mayor  
Bryce Davis, City Administrator

Wk.20

**DID YOU KNOW?**

*The Snickers candy bar was named after a horse owned by the Mars family, the maker of the yummy treat.*

**Oldson's Plumbing, Heating and Air Conditioning, Inc.**

**Eagle Grove/Clarion**

**515-448-3456**

RESIDENTIAL & COMMERCIAL PLUMBING & HEATING

WE SERVICE ANY BRAND/MODEL 24-7 EMERGENCY SERVICE

- FURNACES
- AIR CONDITIONERS
- FIREPLACES
- BOILERS
- GEOTHERMAL
- HEAT PUMPS
- DUCTLESS SYSTEMS
- WATER HEATERS

LENNOX AIREASE FUJITSU RHEEM



**Oldsons Plumbing, Heating and A/C, Inc.**  
114 N Commercial, Eagle Grove  
**515-448-3456**

**PUBLIC NOTICE**

**2017 WATER QUALITY REPORT FOR Eagle Grove Water Supply**

This report contains important information regarding the water quality in our water system. The source of our water is groundwater. Our groundwater is drawn from the Mississippian & Pleistocene aquifers. Our water quality testing shows the following results:

CONTAMINANT	MCL – (MCLG)	Compliance		Date	Violation Yes/No	Source
		Type	Value & (Range)			
Total Trihalomethanes (ppb) [TTHM]	80 (N/A)	LRAA	24.00 (24 – 24)	09/30/2017	No	By-products of drinking water chlorination
Copper (ppm)	AL=15 (1.3)	90th	ND (ND – 0.05)	2016	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
Lead (ppm)	AL=15 (0)	90th	0.00 (ND – 4)	2016	No	Corrosion of household plumbing systems; Erosion of natural deposits
Fluoride (ppm)	4 (4)	SGL	0.69 (0.59 – 0.79)	01/01/2017 12/31/2017	No	Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories
<b>950 – DISTRIBUTION SYSTEM</b>						
Chlorine (ppm)	MRDL=4.0 (MRDLG)=4.0	RAA	0.5 (0.26 – 0.54)	12/31/2017	No	Water additive used to control microbes
Total Coliform Bacteria	Presence of coliform bacteria in >5% of monthly samples (0)	TCR	0 sample(s) positive	01/01/2017 12/31/2017	No	Naturally present in the environment
<b>01 – S/EP WELLS #3 (1952) and #5 (1980) - TREATED</b>						
Arsenic (ppb)	10 (0)	SGL	2.00	10/12/2017	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronic production wastes
Fluoride (ppm)	4 (4)	SGL	0.6	05/07/2012	No	Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories
Sodium (ppm)	N/A (N/A)	SGL	6.2	05/05/2015	No	Erosion of natural deposits; Added to water during treatment process
<b>02 – S/EP WELL #4 (1957) - TREATED</b>						
Sodium (ppm)	N/A (N/A)	SGL	6.1	05/05/2015	No	Erosion of natural deposits; Added to water during treatment process

Note: Contaminants with dates indicate results from the most recent testing done in accordance with regulations.

**DEFINITIONS**  
• AL - Action Level - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.  
• MCL - Maximum Contaminant Level - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.  
• MCLG - Maximum Contaminant Level Goal - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.  
• MRDL - Maximum Residual Disinfectant Level - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.  
• MRDLG - Maximum Residual Disinfectant Level Goal - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.  
• NA - Not Applicable  
• ND - Not Detected  
• pCi/L - Picocuries Per Liter  
• ppb - Parts Per Billion  
• ppm - Parts Per Million  
• RAA - Running Annual Average  
• LRAA - Locational Running Annual Average

**Average**  
• S/EP - Source Entry Point  
• Treatment Technique (TT) - A required process intended to reduce the level of a contaminant in drinking water.  
• SGL - Single Sample Result  
• TCR - Total Coliform Rule

**GENERAL INFORMATION**  
Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water posed a health risk. More information about contaminants or potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Eagle Grove Water Supply is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline, or at <http://www.epa.gov/safewater/lead>.

**ADDITIONAL HEALTH INFORMATION**  
Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the Safe Drinking Water

Hotline (800-426-4791).

**SOURCE WATER ASSESSMENT INFORMATION**  
The Eagle Grove Water Supply obtains its water from the Mississippian & Pleistocene aquifers. The Mississippian aquifer was determined to have low susceptibility to contamination because the characteristics of the aquifer and overlying materials provide natural protection from contaminants at the land surface. The Mississippian well will have low susceptibility to surface contaminants such as leaking underground storage tanks, contaminant spills, and excess fertilizer application.  
The Pleistocene aquifer was determined to be slightly susceptible to contamination because the characteristics of the aquifer and overlying materials provide moderate protection from contaminants at the land surface. The Pleistocene wells will be slightly susceptible to surface contaminants such as leaking underground storage tanks, contaminant spills and excess fertilizer application.  
A detailed evaluation of your source water was completed by the IDNR, and is available from the Eagle Grove Water Supply at 121 North Wright Ave., Eagle Grove, IA 50533.

**OTHER INFORMATION**  
The employees of the Eagle Grove Water Supply are acutely aware of the impact that their job has on public health. With that in mind, we always do our best to provide the residents of Eagle Grove with the best quality water our treatment facility is capable of.  
**CONTACT INFORMATION**  
For questions regarding this information, please contact Bryan Baker, Water Superintendent at (515)448-3464 during the following hours: 7:30 a.m. to 4:30 p.m., Monday - Friday.  
Decisions regarding the water system are made at the Utilities Board meetings held on the 1st Wednesday of each month at 11:30 a.m. at The Eagle Grove City Hall and are open to the public.  
**Please Note:** This report will not be mailed to individual customers. Copies may be picked up at the Eagle Grove City Hall, Eagle Grove Memorial Library, and the Eagle Grove Water Department.

Wk.20

**PUBLIC NOTICE**  
Supervisors Minutes

**SUPERVISORS**  
April 30, 2018

Chairman Helgevoild called the regular meeting of the Wright County Board of Supervisors to order at 9:00 a.m. Members present are Watne, Rasmussen, and Helgevoild.  
Minutes of the previous regular meeting of April 23, 201, were read and approved.  
Approved claims for payment.  
Jeremy Abbas, Assistant to the Engineer, presented the name of Marcus Spangler as the new Engineering Technician for the Secondary Roads department. Starting wage will be \$45,000 with an increase after successful completion of the necessary testing certificates. Motion by Watne and seconded by Rasmussen to approve the hire. Motion carries.  
Abbas then presented Resolution 2018-24 on establishing temporary speed limits on various gravel roads due to Hwy 17 repair. Motion by Rasmussen and seconded by Watne to approve Resolution 2018-24 on establishing temporary speed limits. By roll call votes: Ayes – Watne, Rasmussen, and Helgevoild; nays – none. Resolution 2018-24 duly passes and reads as follows:

**RESOLUTION 2018-24**  
**ESTABLISHING TEMPORARY SPEED LIMITS**  
LOCATION #1-Davis Ave from Eagle Grove South To 290th, Thence East to US 17  
LOCATION #2-Calhoun Ave. from US 3 South to 265th St. West of Eagle Grove  
LOCATION #3-Davis Ave. from South Goldfield city limits South to North Eagle Grove City Limits  
LOCATION #4-Franklin Ave. from US 3 South to 265th St. (C-54)  
WHEREAS, The Board of Supervisors is empowered under authority of Sections 321.255 and 321.285(4), of the Code of Iowa, to determine upon the basis of an engineering and traffic investigation that the speed limit of any secondary road is greater than is reasonable and proper under the conditions existing, and may determine and declare a reasonable and proper speed limit, and  
WHEREAS, such investigation has been completed by the Wright County Engineer's Department.  
NOW, THEREFORE, BE IT RESOLVED by the Wright County Board of Supervisors that speed limit be established and appropriate signs erected at the locations described as follows:

Motion by Watne and seconded by Rasmussen to set the budget amendment hearing for May 21, 2018 at 10:30 a.m. for the Wright County FYE 2018. Motion carries unanimously.  
Shari Plagge, Wright County Assessor, presented the Property Tax Exemptions for Slough Bills. There were 2,734 acres total with 17 acres of new applications and 13 acres cancelled. Motion by Rasmussen and seconded by Watne to approve and have the Chairman sign the slough bill applications. Motion carries.  
Motion by Rasmussen and seconded by Watne to approve the abatement orders #1149, #1150, #1151, and #1152 for Federal Government drainage assessment. Motion carries unanimously.  
Received the Central Iowa Juvenile Detention Center annual report and placed on file in the Auditor's office.  
Motion by Watne and seconded by Rasmussen to adjourn the meeting. Motion carries.  
Karl Helgevoild, Chairman  
Wright County Board of Supervisors  
Betty Ellis, Wright County Auditor

**PUBLIC NOTICE**  
HOWELL TRUST NOTICE

**TRUST NOTICE**  
IN THE MATTER OF THE TRUST: Josephine B. Howell Revocable Trust

To all persons regarding Josephine B. Howell, deceased who died on or about April 11, 2018. You are hereby notified that Larry M. Howell and Daryl L. Howell are the trustees of the Josephine B. Howell Revocable Trust dated on April 24, 2014. Any action to contest the validity of the trust must be brought in the District Court of Wright County, Iowa, within the later to occur of four (4) months from the date of second publication of this notice or thirty (30) days from the date of mailing this notice to all heirs of the decedent settlor whose identities are reasonably ascertainable. Any suit not filed within this period shall be forever barred.  
Notice is further given that any person or entity possessing a claim against the trust must mail proof of the claim to the trustees at the address listed below via certified mail, return receipt requested, by the later to occur of four (4) months from the second publication of this notice or thirty (30) days from the date of mailing this notice if required or the claim shall be forever barred unless paid or otherwise satisfied.  
Dated on May 10, 2018.  
Larry M. Howell  
1919 Glen Way Dr. SE  
Cedar Rapids, IA 52403  
Daryl L. Howell  
1211 North B. Street  
Indianola, IA 50125  
Dani L. Eisenstrager, #AT0008960  
Attorney for Trustee  
109 S. Commercial Avenue  
Date of second publication: 24th day of May, 2018.

Wk.20,21

Wk.20

**PUBLIC NOTICE**  
Elizabeth Hill Trust

STATE OF IOWA  
WRIGHT COUNTY  
IN THE MATTER OF  
**ELIZABETH HILL TRUST**  
The annual report of the Elizabeth Hill Trust is available at the address noted below for inspection during normal business hours, by any citizen who so requests within 180 days after publication of this notice of its availability.  
ELIZABETH HILL TRUST  
Eisenstrager Law Office  
Eagle Grove, Iowa 50533

The principal manager is Colleen Bartlett, Trustee  
Telephone: 515-448-4131  
This notice appeared in the Eagle Grove EAGLE on May 17, 2018.

Wk.20

**PUBLIC NOTICE**  
Eagle Grove Utility Board Minutes

**UTILITY BOARD MEETING MINUTES**  
**WEDNESDAY, MAY 9, 2018**  
**11:40 A.M.**

The meeting was called to order with trustees Peterson, Rethman, Wright, and Ryerson present. Absent: Wilson. Also present: City Administrator Davis and Deputy Clerk Day.

A motion was made by Ryerson, and seconded by Rethman, to approve April 18th minutes and claims. Roll Call: All ayes.

**CLAIMS**

Agsource Cooperative Services, Lab Testing Services ..... 1,417.50  
Beck Engineering Inc., Sponsored Prj Engineering ..... 1,062.50  
Brown Supply Co., Inc., Full Circle Clamps ..... 1,052.71  
Central Iowa Distributing, Towels, Gloves, Trash Bags .... 462.50  
Central Pump & Motor LLC, Relays ..... 163.22  
Denver Underground & Grading, Pay Est #2 Forceman .... 237,667.44  
Gridor Construction Inc., Pay Estimate #7 ..... 1,103,242.60  
Hach Co., Testing Supplies ..... 195.83  
Hawkins Inc., Chemicals ..... 6,454.64  
J & J Sports, Uniforms-Rick ..... 68.70  
K & K Construction, Concrete Pad Water Tower ..... 1,575.00  
King Contracting, LLC, Lift Station Pay Est #1 ..... 144,680.36  
Mississippi Lime Co., Standard Quicklime ..... 3,996.80  
Packard Electric Inc., Trouble Shoot Motor ..... 185.50  
Rick Reiland, Uniform Reimb .... 127.12  
Sadler Construction Inc., Electrical-Sewer Plant ..... 402.20  
State Hygienic Laboratory, Lab Testing Services ..... 333.00  
Treasurer State of Iowa, Sales Tax ..... 3,224.00  
UPS, Shipping Charges ..... 63.87  
Van Hoff Trucking, Lime Hauling ..... 2,123.30  
Postmaster, Ut bills/postage ..... 448.25  
Ricky Lamar Nelson, Metdep refund ..... 98.28  
Shipman Alex, Metdep refund ..... 17.53  
Alex Radebaugh, Metdep refund. .... 94.41  
Miguel A Valdivia, Metdep refund ..... 200.00

**Fund Totals:**  
General ..... 59.50  
SRF Sponsored Project ..... 1,062.50  
Water ..... 19,441.63  
Meter Deposit Fund ..... 410.22  
Sewer ..... 2,793.05  
Sewer Capital Improvement ..... 1,485,590.40  
A motion was made by Wright, and seconded by Rethman, to approve Pay Application #1 for Lift Station No. 1 in the amount of \$144,680.36. Roll call: All ayes.

A motion was made by Ryerson, and seconded by Wright, to approve Pay Application #7 for Water Reclamation Facility in the amount of \$1,103,242.60. Roll call: All ayes.

A motion was made by Ryerson, and seconded by Rethman, to approve Pay Application #2 for the Forceman in the amount of \$237,667.44. Roll call: All ayes.

Department reports were given.  
A motion was made by Ryerson, and seconded by Rethman, to adjourn at 12:20 p.m. Motion passed.  
Bryce Davis, City Administrator  
Secretary

Wk.20

**PUBLIC NOTICE**  
Storm Water Discharge

Godbersen-Smith Construction plans to submit a Notice of Intent to the Iowa Department of Natural Resources to be covered under the NPDES General Permit No. 3 "Storm Water Discharge Associated with Industrial Activity from Asphalt plants, concrete Batch Plants, Rock Crushing Plants, and Construction Sand and Gravel Facilities".  
The storm water discharge will be from portable concrete batch plant located in NW 1/4 Sec., Section 36, Township 90 North, Range 26 West Wright County. Storm water will be discharged from 1 point source and will be discharged to the following stream: Boone River.  
Comments may be submitted to the Storm Water Discharge Coordinator, Iowa Department of Natural Resources, Environmental Services Division, 502 E. 9th Street, Des Moines, IA 50319-0034. The public may review the Notice of Intent from 8 a.m. to 4:30 p.m., Monday through Friday, at the above address after it has been received by the Department.

Wk.20

**PUBLIC NOTICE**  
City of Eagle Grove

**A PUBLIC HEARING DATE WAS SET FOR MAY 21, 2018 AT 7:25 PM TO DISCUSS A DOG PARK WITHIN THE CITY LIMITS OF THE CITY OF EAGLE GROVE**

The City Council for the City of Eagle Grove has set a Public Hearing date on May 21, 2018 at 7:25 PM at the Council Chambers in City Hall located at 210 E. Broadway to discuss establishing a Dog Park within the City Limits of the City of Eagle Grove.

The City Council hereby requests public commentary on Monday, May 21, 2018 at 7:25 PM for establishing a Dog Park at the location currently named Jaycee Park. The City Council for the City of Eagle Grove believes public consideration for this topic is vital and in the best interest of the residents of the City of Eagle Grove.

The City Council will place on record any public comments received in writing prior to the Public Hearing.  
Bryce Davis, City Clerk

Wk.20

Office Supplies 50% Off

We might have what you are looking for!

**EAGLE GROVE**

P.O. Box 6 • 314 W. Broadway  
Eagle Grove, IA 50533 • 515-448-4745  
eagleagle@goldfieldaccess.net

Become a fan of the Eagle on Facebook!